

1-1/2" Float Engineered Panel Clip



Application


Standing seam panel clips used for attachment of mechanically seamed panel types wherein movement of the roof panel system is required to allow for thermal expansion and contraction

Features and Benefits

- Manufactured from high quality, corrosion resistant steel meeting strict mechanical property requirements
- Tightly controlled manufacturing tolerances for a secure and functional fit every time
- Allows limited thermal movement (determined by length of slide between the clip's top and base). Always follow the standing seam panel manufacturer's details and instructions on proper use, location and performance values of float clips as well as properly fixing of roof panels to the structure to prevent uncontrolled sliding

Product Selection

Material No.	Item	Description		Carton Wt. (lbs.)	Carton Qty.
		Base Material	Tab Material		
1069208	1-1/2" Float clip	16 ga. (1.5 mm) G-90 Galvanized	22 ga. (0.8 mm) G-90 Galvanized	17	80
1069994	1-1/2" Float clip	16 ga. (1.5 mm) G-90 Galvanized	22 ga. (0.8 mm) 304SS	17	80
1291008	1-1/2" Float clip	16 ga. (1.5 mm) G-90 Galvanized	24 ga. (0.6 mm) 304SS	16	80
1222957	1-1/2" Float clip	16 ga. (1.5 mm) G-90 Galvanized	26 ga. (0.5 mm) 304SS	16	80
1165861	1-1/2" Float clip	16 ga. (1.5 mm) 304SS	26 ga. (0.5 mm) 304SS	14	80



Specifications

Height: 2.02" (51.31 mm)
Width: 4.30" (109.22 mm)
Holes: 2-hole

Installation and Application Considerations

- Compatible with:
 - Quadro 1-1/2" Mechanical
 - New Tech SS150
 - Roll Former Corp. VS150
- Refer to SFS standing seam fastener offering for panel clip attachment options
- Always consult with panel manufacturer or design engineer to ensure proper clip recommendations